

Lambretta



Lambretta

Lambrate, the fashionable district ("quartiere"), is located within Zone 3, the administrative division of Milan, 6 km north-east of the city centre. The district is well known for Parco Lambro, a large urban park established in 1934.

The River Lambo rises from the Monte San Primo, elevation 1,685 metres (5,528 ft.), near the famous Madonna Ghisallo hill, not far from Lake Como. The Lambro passes through Brianza then reaching Monza before crossing its famous park (where king Umberto I was assassinated by Gaetano Bresci) in two branches which join again before the river passes through the eastern part of Milan. The Lambro finally flows into the River Po near Orio Litta.

The Lambro is derived from Lambrus, which corresponds to Greek ελαφρός, meaning 'light (in weight), quick, nimble' and is related to Illyrian lembus 'light vehicle' whence also Greek λέμβος. Lambretta riders are commonly referred to as Lambrettista (singular) or Lambrettisti (plural).




Ferdinando Innocenti




1948

LAMBRETТА M (A) 125
The Model M also known as Model A was the first Lambretta to leave the production line at the Innocenti factory.



1951

LAMBRETТА M MK D
This was the first Model that was made outside of Italy as Innocenti started to sell the license for production around the world.




1969

LAMBRETТА GRAND PRIX DL
Innocenti brought in the design house Bertoni to completely re-design the GP range. This model was only known as the GP in the UK and a few other markets, in all others it was known as the DL.




1950

LAMBRETТА LC 125
This was the first Lambretta to feature full sized leg shields and side panels. On this and the LD, the L stood for Luxury due to this special panel work.



1961

LAMBRETТА SERIES 3 (LI)
The Series three and all subsequent models were nick named the "slim style". This is because compared to the series I and II, the Lambretta had become slimmer and sleeker. The slim style covers all models, LI, TV, SX, GP.



2017

LAMBRETТА V-SPECIAL
The V-Special is equipped with a 50cc, 125cc and 169cc air cooled engine. The 125cc is also produced with a water cooled engine.






Lambretta

lambretta.com

Metal craftsmanship

Lambretta introduces the double layer side panel. The base is an ingenious 1.2 mm steel middle beam that stretches to the sides in an airplane profile architecture. This construction not only enables Lambretta owners to reach their engine easily, but also avoids unnecessary added weight. The sides are then covered with side panels that can be delivered in different shapes and colours. The standard V-Special is 'monocolore'. Lambretta has chosen to link up with the fashionable hard colours of the current era like lead, brown and orange next to the more regular colours white, red and blue.



We are driven by passion,
tradition and innovation.

Fix Fender



With the introduction of the 175 TV in 1957 Innocenti introduced the fix fender that became the iconic character of all future Lambrettas.



Chassis: Matt grey
Seat: Dark brown



Chassis: Orange
Seat: Black



Chassis: Silver blue
Seat: Dark brown

Flex Fender



The V-Special is available in both Fix as well as Flex fender to appeal to the personal taste of its owner.



Chassis: Red
Seat: Black



Chassis: Blue
Seat: Dark brown



Chassis: White
Seat: Red



Chassis: Black
Seat: Dark brown



Chassis: Brown
Seat: Black



Details

Every detail of the V-Special is proof that it is a pure Lambretta: Head and rear lights show the Lambretta trademark while the key is decorated with the traditional Lambretta lion.

A large luggage area can be found under the comfortable seat. In regards to technology, the new V-Special is up-to-date. Front and rear disc brakes provide excellent braking performance.





Carbon+









To further customize the 'lammy', Lambretta has prepared full carbon sets for the aftermarket that will convert the machine into a real old school Lambretta 'bicolore'.



Technical specifications

	V50 Special Fix V50 Special Flex	V125 Special Fix V125 Special Flex	V200 Special Fix V200 Special Flex
Engine type	Single cylinder, 4-stroke, air cooled	Single cylinder, 4-stroke, air cooled	Single cylinder, 4-stroke, air cooled
Displacement	49,5 cm ³	124,7 cm ³	169 cm ³
Compression ratio	12,6:1	10,7:1	10,2:1
Fuel	Petrol (95 Octane)	Petrol (95 Octane)	Petrol (95 Octane)
Fuel management	ECS	EFI	EFI
Max. power	2,6 kW@7500 rpm	7,5 kW@8500 rpm	8,8 kW@8000 rpm
Max. torque	3,4 Nm@6500 rpm	9,2 Nm@7000 rpm	12,2 Nm@5500 rpm
Exhaust emission characteristic	Euro 4	Euro 4	Euro 4
Ignition	CDI	ECU	ECU
Starter	E-Starter	E-Starter	E-Starter
Consumption	2,4 l/100km	2,8 l/100km	2,9 l/100 km
CO₂-Emission	55 g/km	65 g/km	68 g/km
Maximum speed	45 km/h	95 km/h	100 km/h
Gearbox	CVT	CVT	CVT
Final drive	Belt	Belt	Belt
Length	1900 mm	1890 mm	1890 mm
Width	690 mm	695 mm	695 mm
Height	1130 mm	1115 mm	1115 mm
Wheelbase	1340 mm	1340 mm	1340 mm
Seat height	~ 770 mm	~ 800 mm	~ 800 mm
Tank capacity	6,5 L ± 0,2 L	6 L ± 0,2 L	6 L ± 0,2 L
Front tyre	110/70-12	110/70-12	110/70-12
Rear tyre	120/70-12	120/70-12	120/70-12
Suspension front	Telescope fork	Telescope fork	Telescope fork
Suspension rear	Single suspension	Single suspension	Single suspension
Brakes front	Hydraulic disc: Ø 226 mm	Hydraulic disc: Ø 226 mm	Hydraulic disc: Ø 226 mm (ABS)
Brakes rear	Mechanic drum: Ø 110 mm	Hydraulic disc: Ø 220 mm (CBS)	Hydraulic disc: Ø 220 mm

Colour options

Colours	V50 Special Fix	V125 Special Fix	V200 Special Fix	V50 Special Flex	V125 Special Flex	V200 Special Flex
 Chassis: Matt grey Seat: Dunkelbraun	✓	✓				
 Chassis: Orange Seat: Black	✓	✓	✓			
 Chassis: Silver blue Seat: Dark brown			✓			
 Chassis: Red Seat: Black				✓	✓	
 Chassis: Blue Seat: Dark brown				✓	✓	✓
 Chassis: White Seat: Red				✓	✓	✓
 Chassis: Black Seat: Dark brown				✓	✓	✓
 Chassis: Brown Seat: Black					✓	✓



Helmets

Lambretta provides a series of helmets in the same colours as the vehicles. High end materials like carbon for the shell, genuine leather for the lining and stainless steel guarantee the highest wearing comfort.



Lambretta Edition

Innocenti Edition



Shell: Orange
Lining: Black
Size: S, M, L, XL
Article number: A500-CB-ORA



Shell: Black
Lining: Dark brown
Size: S, M, L, XL
Article number: A500-CB-SCH



Shell: White
Lining: Red
Size: S, M, L, XL
Article number: A500-CB-WEI



Shell: Dark brown
Lining: Black
Size: S, M, L, XL
Article number: A500-CB-BRAU



Shell: Blue
Lining: Dark brown
Size: S, M, L, XL
Article number: A500-CB-BLA

Take the ride



Accessories



small windshield
chrome: Article number: LAM-CP-100018 black: Article number: LAM-CP-100019



folding frontal luggage carrier
chrome: Article number: LAM-CP-100001
black: Article number: LAM-CP-100004



folding rear luggage carrier
chrome: Article number: LAM-CP-100007
black: Article number: LAM-CP-100008



Vehicle tarpaulin
Article number: LAM-VC-100001



Padlock
Article number: LAM-LO-100001



U-Iron lock
Article number: LAM-LO-100003



Disc brakes
Article number: LAM-LO-100002



rear small luggage carrier
chrome: Article number: LAM-CP-100005
black: Article number: LAM-CP-100006



side protectors
chrome: Article number: LAM-CP-100013
black: Article number: LAM-CP-100014



Lambretta GmbH

Im Wirtschaftspark 15
3494 Gedersdorf
Austria

i lambretta.com
e contact@lambretta.com
t +43 2735 80060

Part of **Lambretta** Consortium



Lambretta® and Lambro® are registered trademarks of Innocenti S.A. Lugano Switzerland. All rights reserved.

At the time of the creation of the catalog, not all technical data were available to us yet. For more information, please visit www.lambretta.com

Lambretta GmbH reserves the right to change technical data, features and colours of the vehicles described here at any time and without prior notice. The vehicles shown in this catalogue are for illustrative purposes only and do not represent any reliable characteristics. Please contact your dealer for questions about details. Liability for possible printing and typesetting errors is excluded.